

FloorLaBs

WATERPROOF STONE COMPOSITE FLOORING




PRODUCT CATALOGUE

www.FloorLaBs.co



Premium European Quality Standards | 100% Waterproof | Pet Friendly | Stain Resistant | Impact Resistant | Lifetime Residential Warranty | Quick & Easy to Install | Patented click locking system | Easy to Maintain | Scratch Resistant | Ultra HD Stunningly Beautiful Wood Visuals | Natural wood feel surface texture | Healthy Flooring choice with no formaldehyde & no phalates & no heavy metals & no benzene & no plasticizes | Intertek Clean Air Certified Flooring; which meets stringent indoor air quality emissions criteria | Made from 70% Natural Stone & 30% Virgin PVC | Very affordable product and install cost | Wont expand or contract | No acclimation | Worry & Stress free maintenance | Installs right over most hard & flat floors | Suitable with underfloor heating | Conforms to room temperature | Fire Resistant | Wear resistant | Safe, slip resistant surface | Sound Absorbing, built in high density IXPE underpad | Antibacterial | Premium Quality Products - which meet and exceed ISO & ASTM standards | Attractive & Informative Packaging |



ENDURANCE TECH CORE

LOCKING SPC RIGID CORE FLOORS

Plank Size: 7.13" x 48" Inches | Micro Beveled Edges
Core: SPC (Stone Polymer Composite)
Thickness: 5mm (with 1.0mm high density pre attached underpad)
 7.5mm / 6.5mm thickness available on factory container orders
Protection: Ultimate Shield Scratch, Stain and Wear Resistant Double UV Coating
Wear Layer: 22mil (0.55mm) | 20mil (0.5mm)
Visuals: Ultra HD, Nature Inspired Realistic Wood
Surface: Wood Grain Embossed, Impressive Textures
Carton: 10 Pieces, 23.8 sqft / 55 cartons per pallet, 1309 sqft
Weights: 42 lbs per Carton / 2300 lbs per pallet
Installation: I4F Locking System
Residential Warranty: 25 Year Limited
Light Commercial Warranty: 7 Year Limited

GLUE DOWN SERIES - SPC RIGID CORE FLOORS

Size: 7.13" x 48" |
Thickness: 4mm & 3mm
Wear Layer: 22 mil (0.55mm)
Protection: Ultimate Shield Scratch, Stain and Wear Resistant Double Coating

HIGH QUALITY STANDARDS OF PRODUCTION:

Our products meet and exceed USA Quality ASTM & ISO Standards:

Featuring proprietary technology to create the ultimate strength SPC waterproof core, which provides over 2000kg m3 density. This results in a product that is structurally solid, impact resistant, extremely durable and guaranteed to last. We achieve this by utilizing a premium quality and completely safe formula which consists of 70% Natural Stone, Virgin PVC, as well as the highest grade polymers and minerals fused together under heat & high pressure using special tech Extruders. Our Core provides next level performance above and beyond competing products.



Easy Click Installation



100% Waterproof



Built In Premium IXPE Under Pad



Suitable With Underfloor Heating



Indent Resistant, Strong & Stable



Lay Over Existing Floors



HD Design & Textures



Slip Resistant & Ultra Quiet



Environmentally Friendly



Naturally Warmer



Meets All ISO & ASTM Quality



Wear Resistant



Hard to Inflamm



Ultimate Shield Surface Coating



Stain Resistant



Healthy Flooring Choice

ULTIMATE SHIELD SCRATCH RESISTANT FLOORING PROTECTS YOUR INVESTMENT AND IMPROVES THE INSTALLATION

HIGH LAYERS PROTECTION WITH FINE GRAIN

STONE POLYMER CORE WITH WAX-RESISTANT COATING AND ANTI-STATIC PROPERTY

HIGH DENSITY FIBER REINFORCED LAMINATE STABILIZES THE INSTALLATION AND PROVIDES EXTRA COMFORT

FloorLaBs SPC
Stone Composite Block in Europe

Base is easy to lay and remove all materials before installation. Do not install over carpet or soft padded flooring.

DO NOT REMOVE: Do not remove the protective film, it is a key element of the product's performance.

INSTALLATION: Lay the tiles on a clean, dry, and level subfloor. Use the provided spacers to maintain the correct gap between tiles. For more information, visit our website.

MAINTENANCE: Clean the floor with a soft cloth and a mild detergent. Avoid using abrasive cleaners or scouring pads. For more information, visit our website.

WARRANTY: This product is covered by a 25-year residential warranty and a 10-year commercial warranty. For more information, visit our website.

RECOMENDACIONES: Este producto está diseñado para ser instalado sobre una superficie plana y seca. No se debe instalar sobre alfombras o suelos acolchados.

INSTALACIÓN: Coloque las baldosas sobre una superficie limpia, seca y nivelada. Utilice los espaciadores para mantener el espacio correcto entre las baldosas. Para más información, visite nuestro sitio web.

MANTENIMIENTO: Limpie el suelo con un paño suave y un detergente suave. Evite utilizar limpiadores abrasivos o esponjas de limpieza. Para más información, visite nuestro sitio web.

WARRANTY: Este producto está cubierto por una garantía residencial de 25 años y una garantía comercial de 10 años. Para más información, visite nuestro sitio web.

www.FloorLaBs.co
FloorLaBs Stone Composite Block in Europe
Tel: +34 923 71 91 91 | Email: info@floorlabs.com | WhatsApp: +34 923 71 91 91

FloorLaBs
SPC EUROPEAN COLLECTION

WATERPROOF STONE COMPOSITE FLOORING

www.floorlabs.co

DROP-LOCK EASY INSTALLATION
Instalación Drop-Lock

SCRATCH & STAIN RESISTANT
Resistente a los Arañazos y las Manchas

PRE-ATTACHED ACCOUSTIC PAD
Almohadilla Acústica Preinstalada

SPC (Stone Polymer) Composition
High Density Pine Attached-Pad

ULTIMATE SHIELD PROTECTION:

- Ultra Scratch, Stain and Wear Resistant Shield
- Double UV Coat

FloorLaBs
SPC EUROPEAN COLLECTION

GAZANTIA
- Resistencia de 25 años.
- Comercial 10 años.

DURABLE a arañazos y manchas

FÁCIL INSTALACIÓN de BLOQUEO DE GOTA

- Hecho de 70% polvo de piedra para máxima resistencia al impacto

- Ceras 3D.

- Certificados de firma segura.

FloorLaBs
SPC EUROPEAN COLLECTION

WARRANTY

- 25 Year Residential
- 10 Year Light Commercial

DURABLE - ULTIMATE SHIELD PROTECTION

- Unmatched Scratch and Stain Resistant Coating
- Double UV Coat

EASY DROP LOCK INSTALLATION

- Score and Snap Easily
- Locks securely

STRONG STONE POLYMER CORE

- Made of 70% Stone Powder for Ultimate Impact Strength

ULTIMATE SHIELD PROTECTION

Sets a new industry benchmark in surface protection. This special UV coat technology provides superb performance in scratch, stain and wear resistance (10x stronger resistance than regular UV).

ENDURANCE 10x CORE

Featuring proprietary technology to create the ultimate strength SPC waterproof core, which provides over 2000kg m³ density. This results in a product that is structurally solid, impact resistant, extremely durable and guaranteed to last. We achieve this by utilizing a premium quality and completely safe formula which consists of 70% Natural Stone, Virgin PVC, as well as the highest grade polymers and minerals fused together under heat & high pressure using special tech Extruders. Our Core provides next level performance above and beyond competing products.

FloorLaBs
SPC EUROPEAN COLLECTION

www.floorlabs.co

FloorLaBs
SPC EUROPEAN COLLECTION



FloorLABs

WATERPROOF STONE COMPOSITE FLOORING



FloorLABs

WATERPROOF STONE COMPOSITE FLOORING



FloorLABs

WATERPROOF STONE COMPOSITE FLOORING



FloorLABs

WATERPROOF STONE COMPOSITE FLOORING



FloorLaBs

WATERPROOF STONE COMPOSITE FLOORING



STONE COLLECTION 0.33MM & 0.55MM WEAR LAYER

- DROP LOCK CLICK SYSTEM - 5MM (4+1MM IXPE PAD)

DIMENSION: 30.48CM X 91.44CM



F34144-2 GREY MARBLE



F34144-3 BLACK MARBLE



F34151-4 CALACATTA MARBLE



F34165-3 ANTRACHITE CONCRETE



F34165-4 GREY CONCRETE



F34165-6 LIGHT CONCRETE



F34181-0 DARK CONCRETE



F34200-2 CARRARA MARBLE

SPC (Stone Polymer) Composition
High Density Pre Attached-Pad



ULTIMATE SHIELD Protection:

- Ultra Scratch, Stain and Wear Resistant Shield
- Double UV Coat

How to engage
3L TripleLock & Click4U
Using your hands



INNOVATIONS
FLOORING

Scan to Watch



**DROP-LOCK
SYSTEM**

FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34144-2 GREY MARBLE






FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34144-3 BLACK MARBLE







FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34151-4 CALACATTA MARBLE



FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34165-3 ANTRACHITE CONCRETE



FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34165-3 ANTRACHITE CONCRETE



FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34165-4 GREY CONCRETE



FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34165-4 GREY CONCRETE



FloorLaBs


FloorLaBs | STONE SPC COLLECTION
F34165-6 LIGHT CONCRETE





FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34181-0 DARK CONCRETE



FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34181-0 DARK CONCRETE





FloorLaBs

FloorLaBs | STONE SPC COLLECTION
F34200-2 CARRARA MARBLE



FloorLaBs

WATERPROOF STONE COMPOSITE FLOORING



CERTIFIED
CLEAN AIR GOLD



WOOD COLLECTION 0.33MM & 0.55MM WEAR LAYER

• DRY BACK 2.5MM • DROP LOCK CLICK SYSTEM 5MM (4+1MM IXPEPAD) • DROP LOCK 6.5MM (5+1.5MM IXPEPAD)

**DIMENSION: 18.11CM X 122CM or
22.86CM X 122CM**



F2752-3B OAK EVEREST



F40209 OAK DENVER




F300-18 OAK INDIANA



F3752-4 OAK NEVADA



F40147-22 OAK PITTSBURGH



F8376-8 WALNUT PORTLAND



F40213-7 OAK FLORIDA



F40259-5 OAK RIVERSIDE



F40261 OAK COLORADO



F40147-7 OAK BOSTON



F40262-4 OAK MINNEAPOLIS



F40274-1 OAK NEWARK

50+ MORE DECORS

www.FloorLaBs.co









F40261 OAK COLORADO



F40164-8 OAK Jackson





F40260-3 OAK Fontana



F3751-2 OAK Brooklyn





F30256-2 OAK Durham



F7190-4 OAK Buffalo





F3725-2 OAK Ohio



F2752-3B OAK EVEREST





F40150-9 OAK Nebraska



F7181-7 OAK Arlington





F3752 OAK NEVADA



F40211-6 OAK Oregon





F40213-7 OAK Florida



F3752-3 OAK Texas





F3750-5 OAK Arizona




F40262-4 OAK Minneapolis





F40163-6 OAK Albany



F40212-7 OAK Long Beach





F3752 OAK NEVADA



F3713-3 OAK Tampa





F7173 OAK ORLANDO



F3713-2 OAK Aurora






F40260 OAK HOUSTON



F40261-7 OAK Cleveland





F40261-4 OAK Warwick



F3751-2 OAK Brooklyn





F40211-9 OAK Miami



F40261-2 OAK Oakland







F40213-7 OAK Florida




F40261-6 Oak Sydney





F40266-7 Oak Townsville



F40209 OAK DENVER





F30262-4B OAK ARARAT



F40209-00 OAK Chicago





F40164-9 OAK Phoenix



F40164-4 OAK Philadelphia



F40161-4 OAK Santa Ana



F40164-5 OAK San Diego



F40234-4 OAK Dallas



F40209-5 OAK San Jose



F40211-5 OAK Perth



F451-17 OAK Austin



F40234-2 OAK Darwin



F40147-22 OAK Pittsburgh



F30129-22 OAK Columbus



F300-18 OAK Indiana



F430-20 OAK Charlotte



F30131-8 OAK Stockton



F30133-6 OAK Cincinnati



F40259-6 OAK Irvine



F0006-04 OAK Omaha



F430-15 OAK San Antonio



F451-14 OAK Oklahoma



F8433-56 OAK Nashville



F27118-2 OAK El Paso



F524-13 OAK Washington



F40147-7 OAK Boston



F30109-3B OAK ELBRUS



F8376-8 WALNUT Portland



F452-3 OAK Detroit



F40147-26 OAK Louisville



F40181-4 OAK Sacramento



F444-16 OAK Mesa



F40147-2 OAK Kansas City



F7262-4 OAK Atlanta



F30129-22B OAK URAL



F40274-1 OAK Newark



F40259-5 OAK Riverside



F40226-0 OAK Seattle

AROUND THE WORLD

MORE THAN
50 COUNTRIES



www.FloorLaBs.co



www.FloorLaBs.co

•Tel: +90 232 237 3385 •Email : export@egecam •WhatsApp : +90 531 778 1178